



Description:

It adopts the coaxial technology, and has the advantages of excellent corresponding radiation of single sound source and complete overlapping diffusion of low/high frequency, making it fully suitable for semi-reverberation environments. And the compact bass reflex design enjoys perfect frequency response, phase response and excellent monitoring capability. It can be widely used in stage monitoring, mobile performances, theaters, concert halls, multi-function halls, auditoriums, conference rooms, bars, etc.

Feature:

- * A 15-inch coaxial speaker (including a 15-inch woofer and a 75mm tweeter).
- * Optimized built-in frequency divider, abundant sound pressure, comfortable tone.
- * Multi-purpose structure, horizontal and vertical placement, full-range speaker or stage monitoring speaker.
- * High-quality birch housing, CNC processing, durable design.
- * Wear-resisting environment-friendly waterborne paint spray, elegant appearance .

Specification:

| | |
|----------------------|------------------------|
| Model | TK-T15 |
| Impedance | 8Ω |
| Frequency response | 45Hz-20kHz |
| Rated power | 500W |
| Peak power | 2000W |
| Sensitivity | 100dB/W/m |
| Max SPL (rated/peak) | 127dB/133dB |
| Coverage angle | (H)90°(V)90° |
| Woofer | 15" coaxial speaker ×1 |
| Size | 580×538×375mm(H×W×D) |
| Weight | 25.9kg |